Material Safety Data Sheet



1. Chemical product and company identification

Product name BP TURBO OIL 2380

MSDS # 452219

 Historic MSDS #:
 0000000070

 Code
 452219-US08

 Product use
 Turbine Oil

For specific application advice see appropriate Technical Data Sheet or consult our company

representative.

Supplier Air BP

Maple Plaza II - 1N Six Campus Drive Parsippany, NJ 07054

U.S.A.

EMERGENCY HEALTH 1 (800) 447-8735

INFORMATION: Outside the US: +1 703-527-3887 (CHEMTREC)

EMERGENCY SPILL INFORMATION:

1 (800) 424-9300 CHEMTREC (USA)

OTHER PRODUCT 1 (866) 4 BP - MSDS

INFORMATION (866-427-6737 Toll Free - North America)

email: bpcares@bp.com

2. Composition/information on ingredients

This product does not contain any hazardous ingredients at or above regulated thresholds.

3. Hazards identification

Physical state Liquid.

Color Amber.

Emergency overview CAUTION!

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep container closed.

Language ENGLISH.

Use with adequate ventilation. Wash thoroughly after handling.

Routes of entry Dermal contact. Eye contact. Inhalation. Ingestion.

Potential health effects

Eyes May cause eye irritation.

Skin May cause skin irritation.

Date of issue 04/12/2006.

Inhalation May cause respiratory tract irritation.

None identified.

Ingestion Ingestion may cause gastrointestinal irritation and diarrhea.

Medical conditions

aggravated by over-

exposure

Format US

 Product
 BP TURBO OIL 2380
 MSDS #
 452219-US08
 Page: 1/5

name Version 1.01

Build 4.2.7 (ENGLISH)

4. First aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical

Skin contact Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes.

Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if

irritation develops.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical attention.

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by

mouth to an unconscious person. If large quantities of this material are swallowed, call a physician

immediately.

Fire-fighting measures

Flammability of the product May be combustible at high temperature.

Flash point 265 °C (Open cup) Cleveland.

These products are: carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂ etc.), oxides of **Products of combustion**

phosphorus.

Unusual fire/explosion

hazards

This material is not explosive as defined by established regulatory criteria.

Fire-fighting media and

instructions

In case of fire, use water fog, foam, dry chemicals, or carbon dioxide. Do not use water jet.

Protective clothing (fire) Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full

turnout gear.

Accidental release measures

Personal precautions Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable

protective equipment (See Section: "Exposure controls/personal protection"). Follow all fire

fighting procedures (See Section: "Fire-fighting measures").

Environmental precautions and clean-up

methods

If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Avoid contact of spilled material with soil and prevent runoff entering surface waterways. See Section 13 for Waste Disposal Information.

Personal protection in case of a large spill

Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Handling and storage

Handling Avoid contact with skin and clothing. Avoid contact with eyes. Use only with adequate ventilation Avoid breathing vapor or mist. Wash thoroughly after handling.

Storage

Keep container tightly closed. Keep container in a cool, well-ventilated area. Empty containers may contain harmful, flammable/combustible or explosive residue or vapors. Do not cut, grind, drill, weld, reuse or dispose of containers unless adequate precautions are taken against these

hazards.

Product BP TURBO OIL 2380 MSDS# 452219-US08 Page: 2/5 name

Version 1.01 Date of issue 04/12/2006. Format US Language ENGLISH.

> Build 4.2.7 (ENGLISH)

8. Exposure controls/personal protection

Occupational exposure limits

This product does not have any assigned OELs.

Control Measures Provide exhaust ventilation or other engineering controls to keep the relevant airborne

concentrations below their respective occupational exposure limits. Ensure that eyewash stations

and safety showers are close to the work-station location.

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating,

smoking and using the lavatory and at the end of the working period.

Personal protection

Eyes Avoid contact with eyes. Chemical splash goggles.

Skin and body Avoid contact with skin and clothing. Wear suitable protective clothing.

Respiratory Use only with adequate ventilation In accordance with good industrial hygiene and safety work

practices, airborne exposures should be controlled to the lowest extent practicable.

Hands Wear suitable gloves.

Consult your supervisor or S.O.P. for special handling directions

Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

Physical state Liquid.

Odor Characteristic.

Color Amber.

Heat of combustion Not available.

Pour Point -57 °C Specific gravity 0.98

Density 980 kg/m³ (0.98 g/cm³) at 15.6°C

Viscosity Kinematic: 24.2 mm²/s (24.2 cSt) at 40°C

Kinematic: 4.97 mm²/s (4.97 cSt) at 100°C

10. Stability and reactivity

Stability and reactivity The product is stable.

Conditions to avoid Keep away from heat, sparks and flame.

Incompatibility with various

substances

Reactive or incompatible with the following materials: oxidizing materials, acids and alkalis.

Hazardous decomposition

products

Products of combustion: carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂ etc.), oxides of

phosphorus.

Hazardous polymerization Will not occur.

11. Toxicological information

Chronic toxicity

Carcinogenic effects

No component of this product at levels greater than 0.1% is identified as a carcinogen by ACGIH or the International Agency for Research on Cancer (IARC). No component of this product present at levels greater than 0.1% is identified as a carcinogen by the U.S. National Toxicology Program (NTP) or the U.S. Occupational Safety and Health Act (OSHA).

Product BP TURBO OIL 2380 MSDS # 452219-US08 Page: 3/5 name

Version 1.01 Date of issue 04/12/2006. Format US Language ENGLISH.

Build 4.2.7 (ENGLISH)

Mutagenic effects

No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a mutagen.

Reproductive effects

No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a reproductive toxin.

Teratogenic effects

No component of this product at levels greater than 0.1% is classified by established regulatory criteria as teratogenic or embryotoxic.

Other chronic toxicity data

This product and/or similar products have been evaluated for the potential to cause delayed neurotoxic effects in animals (hens). Groups of hens were administered the product orally at either a single, maximum limit dose of 5 gm/kg, or a repeated maximum limit dose of 1 gm/kg, 5 days per week for 13 weeks. No clinical signs or histopathological evidence of neurotoxicity were observed. Therefore, the use of this product under recommended industrial hygiene practices should not pose a neurotoxic hazard.

12. Ecological information

Ecotoxicity No testing has been performed by the manufacturer.

13. Disposal considerations

Waste information Avoid contact of spilled material and runoff with soil and surface waterways. Consult an

environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, treatment, storage or disposal facilities. Dispose of in accordance with all applicable local and

national regulations.

Consult your local or regional authorities.

14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. Regulatory information

U.S. Federal regulations US INVENTORY (TSCA): In compliance.

TSCA 12(b) one-time export notification:: Diphenylamine

This product is not regulated under Section 302 of SARA and 40 CFR Part 355.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: BP TURBO OIL

2380: Immediate (Acute) Health Hazard

SARA 313

Form R - Reporting requirements

This product does not contain any hazardous ingredients at or above regulated thresholds.

Supplier notification

This product does not contain any hazardous ingredients at or above regulated thresholds.

CERCLA Sections 102a/103 Hazardous Substances (40 CFR Part 302.4):: Aniline: 5000 lbs.

(2268 kg);

State regulations New Jersey: Tricresyl phosphate

WARNING: This product contains a chemical known to the State of California to cause cancer.

(ENGLISH)

Aniline

Product BP TURBO OIL 2380 MSDS # 452219-US08 Page: 4/5

Build 4.2.7

Version 1.01Date of issue 04/12/2006.Format USLanguage ENGLISH.

Inventories AUSTRALIAN INVENTORY (AICS): Not listed.

CANADA INVENTORY (DSL): In compliance.

CHINA INVENTORY (IECS): In compliance.

EC INVENTORY (EINECS/ELINCS): In compliance.

JAPAN INVENTORY (ENCS): Contact supplier for regulatory information.

KOREA INVENTORY (ECL): In compliance.

PHILIPPINE INVENTORY (PICCS): In compliance.

16. Other information

Label requirements CAUTION!

> MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

HMIS® Rating: Health **National Fire**

Flammability 1 **Protection Physical Association** Hazard (U.S.A.)

Personal Χ

protection

Fire hazard Instability Health Specific hazard

History

Date of issue 04/12/2006. 01/03/2006. Date of previous issue

Prepared by **Product Stewardship**

Notice to reader

NOTICE: This Material Safety Data Sheet is based upon data considered to be accurate at the time of its preparation. Despite our efforts, it may not be up to date or applicable to the circumstances of any particular case. We are not responsible for any damage or injury resulting from abnormal use, from any failure to follow appropriate practices or from hazards inherent in the nature of the product.

Product BP TURBO OIL 2380 MSDS# 452219-US08 Page: 5/5 name Version 1.01 Date of issue 04/12/2006. Format US Language ENGLISH.

(ENGLISH)

Build 4.2.7